

STATE OF MINNESOTA

Office of Governor Mark Dayton

130 State Capitol • 75 Rev. Dr. Martin Luther King Jr. Boulevard • Saint Paul, MN 55155

May 10, 2017

The Honorable Kurt Daudt Speaker of the House State Office Building, Room 463 100 Rev. Dr. Martin Luther King, Jr. Blvd. Saint Paul, Minnesota 55155

Dear Mr. Speaker:

I have vetoed and am returning Chapter 33, House File 812 a bill which would impose licensure requirements only upon facilities performing abortions.

This bill would impose new requirements on clinics that perform ten or more abortions per month. The licensure criteria in the bill are overly broad and unnecessary. Its supporters cite lack of statutory authority for the Minnesota Department of Health (MDH) to regulate or license clinics. However, MDH believes that current professional licensing standards provide sufficient oversight to protect the health and safety of Minnesotans.

Furthermore, the licensure application process outlined in the bill requires MDH to collect information about clinic workers, but fails to protect the privacy of those workers. This requirement appears to target health professionals who provide abortion services.

Health care research, findings, and conclusions are best left to experts, who are trained to make medical, not political, decisions, and who are in the best position to protect a woman's health.

Governor

Way

Our place is not between a woman and her doctor.

cc: Senat

Senator Michelle L. Fischbach, President of the Senate

Senator Paul E. Gazelka, Senate Majority Leader

Senator Thomas M. Bakk, Senate Minority Leader

Representative Melissa Hortman, House Minority Leader

Representative Debra Kiel, House

The Honorable Steve Simon, Secretary of State

Mr. Cal R. Ludeman, Secretary of the Senate

Mr. Patrick Murphy, Chief Clerk of the House of Representatives

Mr. Paul Marinac, Revisor of Statutes

Voice: (651) 201-3400 or (800) 657-3717 Website: http://governor.state.mn.us

Fax: (651) 797-1850

MN Relay (800) 627-3529 An Equal Opportunity Employer