

Overview of 2013 - Table 1

PERCENT CHANGES BETWEEN 2012 AND 2013, SELECTED MINNESOTA HEALTH STATISTICS

Category	Percent Change	2012	2013
Population	0.8	5,379,139	5,420,380
Live Births	0.6	68,783	69,183
Birth Rate ¹	0.0	12.8	12.8
Births to Unmarried Mothers (%)	-0.6	33.1%	32.9%
Fertility	0.3	65.7	65.9
Population of Women 15-44	0.3	1,046,298	1,049,636
White Births ²	0.5	52,171	52,409
African American Births ²	7.2	7,049	7,556
American Indian Births ²	-1.0	1,346	1,333
Asian & Pacific Islander Births ²	-2.0	5,383	5,276
Latino/Hispanic Births ²	-3.3	4,823	4,664
Prenatal Care - Third Trimester or None	3.3	3.0%	3.1%
Infants of Less Than 2,500 Grams (LBW)	-3.0	6.6%	6.4%
Infants of Less Than 37 Weeks Gestation (Premature) ³	0.0	8.6%	8.6%
Deaths	2.4	40,020	40,981
Fetal Deaths	6.0	365	387
Infant Deaths	0.6	347	349
Neonatal Deaths	-0.4	249	248
Death Rate ¹	2.7	7.4	7.6
Infant Mortality Rate ⁴	0.0	5.0	5.0
Neonatal Mortality Rate ⁴	0.0	3.6	3.6
Cancer Deaths (Malignant Neoplasms)	1.8	9,436	9,603
Heart Disease Deaths	2.6	7,473	7,671
Stroke Deaths (Cerebrovascular Diseases)	-0.6	2,064	2,051
Unintentional Injury Deaths	5.5	2,358	2,487
Suicide Deaths (Intentional Self-harm)	3.5	660	683

¹Rates are per 1,000 population

⁴Rates are per 1,000 live births

²Race/Ethnicity of Mother – Race categories include persons of both Hispanic and non-Hispanic origin; Latino/Hispanic births include persons of any race.

³Based on Clinical Estimate of Gestation, all births

Overview of 2013 – Table 2
 Resident Live Births, Crude Birth Rates*, Fertility Rates**, Minnesota and United States
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995, 2000 -2013

Year	Live Births		Crude Birth Rate*		Fertility Rate**	
	Minnesota	U.S.	Minnesota	U.S.	Minnesota	U.S.
1940	52,915	2,559,000	19.0	19.4	81.0	79.9
1945	54,656	2,858,000	20.9	20.4	85.1	85.9
1950	75,078	3,632,000	25.2	24.1	119.1	106.2
1955	81,532	4,097,000	25.7	25.0	130.1	118.3
1960	87,523	4,257,850	25.6	23.7	136.0	118.0
1965	70,810	3,760,358	19.7	19.4	105.9	96.3
1970	68,449	3,731,386	18.0	18.4	88.4	89.7
1975	56,463	3,144,198	14.4	14.6	65.4	66.0
1980	67,843	3,612,258	16.6	15.9	70.8	68.4
1985	67,412	3,760,561	16.1	15.8	68.0	66.2
1990	67,985	4,158,212	15.5	16.7	66.3	70.9
1995	63,259	3,899,589	13.7	14.7	60.1	65.6
2000	67,451	4,058,814	13.7	14.7	62.3	67.5
2001	66,617	4,025,933	13.4	14.5	60.9	66.9
2002	68,037	4,021,726	13.6	13.9	62.0	64.8
2003	70,053	4,089,950	13.9	14.1	64.1	66.1
2004	70,614	4,112,052	13.8	14.0	64.5	66.3
2005	70,920	4,140,419	13.8	14.0	64.9	66.7
2006	73,515	4,265,555	14.2	14.2	68.6	68.5
2007	73,675	4,316,233	14.2	14.3	69.6	69.5
2008	72,382	4,251,095	13.9	13.9	69.0	68.4
2009	70,617	4,130,665	13.4	13.5	67.5	66.7
2010	68,407	3,999,386	12.9	13.0	65.4	64.1
2011	68,416	3,953,593	12.8	12.7	65.5	63.2
2012	68,783	3,952,841	12.8	12.6	65.7	63.0
2013	69,183	3,957,577	12.8	12.5	65.9	62.9

* Live Births per 1,000 Population

**Live Births per 1,000 Female Population Age 15-44

Overview of 2013 - Table 3
 Numbers and Rates of Resident Live Births, Deaths, and Maternal Deaths
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995, 2000 -2013

Year	Deaths				Infant Deaths				Neonatal Deaths			
	Minnesota		United States		Minnesota		United States		Minnesota		United States	
	Number	Rate ¹	Number	Rate ¹	Number	Rate ²	Number	Rate ²	Number	Rate ³	Number	Rate ³
1940	26,354	9.4	1,417,269	10.8	1,772	33.3	110,984	47.0	1,246	23.4	67,866	28.8
1945	26,763	10.2	1,401,719	10.6	1,698	31.1	104,684	38.3	1,226	22.6	66,593	24.3
1950	27,897	9.4	1,452,454	9.6	1,876	25.0	103,825	29.2	1,430	19.0	72,855	20.5
1955	28,574	9.0	1,528,717	9.3	1,779	21.8	106,903	26.4	1,386	17.0	77,351	19.1
1960	31,596	9.3	1,711,982	9.5	1,881	21.5	110,873	26.0	1,397	16.0	79,733	18.7
1965	32,477	9.0	1,828,136	9.4	1,432	20.2	92,866	24.7	1,075	15.2	66,419	17.7
1970	33,919	8.9	1,921,031	9.5	1,203	17.6	74,667	20.0	944	13.8	56,279	15.1
1975	32,686	8.3	1,892,879	8.8	771	13.7	50,525	16.1	582	10.3	36,416	11.6
1980	33,415	8.2	1,989,841	8.8	679	10.0	45,526	12.6	421	6.2	30,618	8.5
1985	34,793	8.3	2,086,440	8.7	591	8.8	40,030	10.6	364	5.4	26,179	7.0
1990	34,739	7.9	2,148,463	8.6	796	7.3	38,100	9.2	295	4.3	24,309	5.8
1995	37,427	8.1	2,312,132	8.8	427	6.8	29,583	7.6	255	4.0	19,155	4.9
2000	37,595	7.6	2,403,351	8.7	377	5.6	28,035	6.9	252	3.7	18,776	4.6
2001	37,505	7.5	2,416,425	8.5	358	5.4	27,568	6.8	233	3.5	18,265	4.5
2002	38,437	7.7	2,443,387	8.5	362	5.3	28,034	7.0	240	3.5	18,747	4.7
2003	37,603	7.4	2,448,288	8.4	327	4.7	28,025	6.9	218	3.1	18,893	4.6
2004	37,012	7.3	2,397,615	8.2	332	4.7	27,936	6.8	229	3.2	18,593	4.5
2005	37,498	7.3	2,447,903	8.0	363	5.1	28,534	6.9	232	3.3	18,834	4.6
2006	36,963	7.2	2,426,264	8.1	381	5.2	28,527	6.7	243	3.3	18,989	4.5
2007	37,086	7.1	2,423,712	8.0	407	5.5	29,138	6.8	278	3.8	19,058	4.4
2008	38,431	7.4	2,471,984	8.1	433	6.0	28,059	6.6	275	3.8	18,211	4.3
2009	37,801	7.2	2,437,163	7.9	324	4.5	26,412	6.4	188	2.7	17,255	4.2
2010	38,857	7.3	2,468,435	8.0	309	4.5	24,586	6.2	210	3.1	16,188	4.1
2011	39,799	7.4	2,515,458	8.1	339	5.0	23,985	6.1	224	3.3	15,954	4.0
2012	40,020	7.4	2,543,279	n.a.	347	5.0	23,629	6.0	249	3.6	n.a.	n.a.
2013	40,981	7.6	n.a.	n.a.	349	5.0	n.a.	n.a.	248	3.6	n.a.	n.a.

¹Deaths per 1,000 Population

²Infant Deaths per 1,000 Live Births

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
AFTON	18	10	0	0	0
ALBERT LEA	246	257	0	0	0
ALEXANDRIA	196	201	1	1	0
ANDOVER	289	122	1	0	0
ANOKA	242	175	3	3	3
APPLE VALLEY	632	301	3	1	1
ARDEN HILLS	60	130	0	0	0
AUSTIN	345	287	3	0	0
BAXTER	96	67	0	0	0
BAYPORT	28	28	0	0	0
BELLE PLAINE	130	65	0	0	0
BEMIDJI	240	203	1	3	1
BENSON	36	48	0	1	0
BIG LAKE	235	54	1	3	1
BLAINE	867	269	8	1	1
BLOOMINGTON	1,023	834	9	3	3
BLUE EARTH	39	64	0	0	0
BRAINERD	295	231	0	2	1
BRECKENRIDGE	45	66	0	0	0
BROOKLYN CENTER	565	245	2	8	3
BROOKLYN PARK	1,415	384	5	9	8
BUFFALO	246	149	2	1	1
BURNSVILLE	902	380	4	7	5
BYRON	87	13	1	0	0
CALEDONIA	48	33	0	0	0
CAMBRIDGE	164	129	0	2	2
CANNON FALLS	57	54	0	0	0
CHAMPLIN	310	82	1	3	2
CHANHASSEN	234	87	1	2	1
CHASKA	373	121	0	1	1
CHISHOLM	63	66	0	2	0
CIRCLE PINES	109	46	1	1	1
CLOQUET	201	158	0	1	1
COLD SPRING	54	61	0	0	0
COLUMBIA HEIGHTS	307	206	2	1	1
COON RAPIDS	819	419	8	2	2
CORCORAN	44	17	0	0	0
COTTAGE GROVE	449	202	1	1	1
CROOKSTON	96	95	0	0	0
CRYSTAL	334	166	0	2	0
DAYTON	26	26	0	0	0
DEEPHAVEN	14	12	0	1	1
DELANO	83	36	0	1	1
DETROIT LAKES	116	155	1	0	0
DILWORTH	62	34	0	0	0

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
DULUTH	1,033	819	8	6	1
EAGAN	830	265	9	4	3
EAST BETHEL	101	40	0	1	1
EAST GRAND FORKS	150	75	0	1	1
EDEN PRAIRIE	722	258	4	0	0
EDINA	486	458	3	1	0
ELK RIVER	307	129	1	2	2
ELY	28	64	0	0	0
EVELETH	59	72	0	0	0
FAIRMONT	127	153	0	1	1
FALCON HEIGHTS	67	32	0	0	0
FARIBAULT	329	211	1	3	1
FARMINGTON	484	106	0	1	1
FERGUS FALLS	188	214	1	2	1
FOREST LAKE	226	144	2	3	0
FRIDLEY	416	177	2	6	5
GLENCOE	75	80	2	0	0
GLENWOOD	39	52	2	0	0
GOLDEN VALLEY	222	194	0	2	0
GOODVIEW	12	15	0	0	0
GRAND RAPIDS	144	198	0	0	0
GRANITE FALLS	27	41	0	0	0
HAM LAKE	144	74	0	1	0
HASTINGS	308	222	3	2	1
HERMANTOWN	88	92	0	0	0
HIBBING	215	224	0	2	2
HOPKINS	319	198	1	4	4
HUGO	229	50	1	2	1
HUTCHINSON	179	139	0	2	2
INDEPENDENCE	28	10	0	0	0
INTERNATIONAL FALLS	86	98	0	0	0
INVER GROVE HEIGHTS	386	247	6	1	1
JACKSON	46	43	0	2	2
JORDAN	86	26	1	0	0
KASSON	69	38	0	0	0
LA CRESCENT	57	46	0	0	0
LAKE CITY	62	75	0	0	0
LAKE ELMO	71	37	0	0	0
LAKEVILLE	510	137	3	1	0
LAUDERDALE	21	7	0	0	0
LE SUEUR	56	58	0	0	0
LINDSTROM	55	53	0	1	1
LINO LAKES	178	47	0	0	0
LITCHFIELD	90	82	0	0	0
LITTLE CANADA	141	71	0	1	1

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
LITTLE FALLS	139	156	1	0	0
LONG PRAIRIE	63	67	1	0	0
LUVERNE	60	91	0	1	1
MAHTOMEDI	63	80	0	1	1
MANKATO	510	300	5	2	2
MAPLE GROVE	863	274	1	4	4
MAPLEWOOD	499	386	3	2	1
MARSHALL	204	113	3	0	0
MEDINA	32	12	0	0	0
MELROSE	61	56	0	0	0
MENDOTA HEIGHTS	70	77	0	0	0
MINNEAPOLIS	6,116	2,442	48	45	35
MINNETONKA	485	391	4	3	3
MINNETRISTA	58	15	0	1	0
MONTEVIDEO	60	89	1	0	0
MONTICELLO	268	100	1	1	1
MOORHEAD	555	327	0	3	2
MORA	85	60	0	0	0
MORRIS	59	54	1	1	0
MOUND	114	74	0	0	0
MOUNDS VIEW	199	83	1	3	3
MOUNTAIN IRON	30	25	0	1	0
NEW BRIGHTON	283	184	2	0	0
NEW HOPE	299	326	2	0	0
NEWPORT	48	28	0	0	0
NEW PRAGUE	115	60	0	0	0
NEW ULM	147	144	0	1	1
NORTHFIELD	182	192	0	0	2
NORTH BRANCH	148	79	1	0	0
NORTH MANKATO	182	113	1	1	1
NORTH OAKS	20	79	0	0	0
NORTH ST PAUL	158	90	0	2	2
OAKDALE	347	182	1	1	1
OAK GROVE	61	21	0	0	0
OAK PARK HEIGHTS	25	106	0	0	0
OLIVIA	34	35	2	0	0
ORONO	36	29	0	0	0
OSSEO	38	56	1	0	0
OTSEGO	266	46	1	1	0
OWATONNA	378	216	3	2	0
PARK RAPIDS	66	90	0	0	0
PINE CITY	88	48	0	1	1
PIPESTONE	68	58	0	0	0
PLAINVIEW	62	41	1	0	0
PLYMOUTH	932	300	3	1	1

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
PRINCETON	96	101	0	1	1
PRIOR LAKE	316	108	3	2	2
PROCTOR	43	40	0	0	0
RAMSEY	314	79	2	1	0
RED WING	195	230	1	2	2
REDWOOD FALLS	78	75	0	0	0
RICHFIELD	598	298	3	1	1
ROBBINSDALE	240	130	1	2	0
ROCHESTER	1,809	796	6	3	3
ROCKFORD	60	26	2	0	0
ROSEAU	49	41	0	0	0
ROSEMOUNT	351	105	3	1	0
ROSEVILLE	374	369	5	0	0
SAINT ANTHONY	92	98	0	0	0
SAINT CHARLES	55	34	0	2	1
SAINT CLOUD	1,004	443	11	6	5
SAINT FRANCIS	113	36	3	0	0
SAINT JAMES	61	65	0	0	0
SAINT JOSEPH	99	32	1	0	0
SAINT LOUIS PARK	683	426	6	2	1
SAINT MICHAEL	204	53	3	1	1
SAINT PAUL	5,210	1,990	41	29	22
SAINT PAUL PARK	84	32	0	0	0
SAINT PETER	117	106	0	2	2
SARTELL	250	139	2	2	1
SAUK CENTRE	69	64	0	0	0
SAUK RAPIDS	214	129	0	2	0
SAVAGE	411	78	1	1	1
SHAKOPEE	719	162	2	2	2
SHOREVIEW	244	159	0	1	1
SHOREWOOD	38	22	0	0	0
SLEEPY EYE	51	71	0	0	0
SOUTH ST PAUL	290	160	2	0	0
SPRING LAKE PARK	90	65	0	1	1
STAPLES	51	55	0	0	0
STEWARTVILLE	232	64	1	2	2
STILLWATER	246	194	1	0	0
THIEF RIVER FALLS	117	101	1	2	0
TWO HARBORS	64	51	0	0	0
VADNAIS HEIGHTS	137	62	0	1	1
VICTORIA	67	28	1	0	0
VIRGINIA	100	161	0	0	0
WACONIA	143	113	1	0	0
WADENA	64	57	1	0	0
WAITE PARK	118	65	1	0	0

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
WASECA	137	84	2	0	0
WATERTOWN	71	38	0	1	1
WAYZATA	85	93	0	0	0
WEST ST PAUL	294	224	2	1	1
WHITE BEAR LAKE	354	262	2	2	1
WILLMAR	378	211	3	2	2
WINDOM	64	65	0	0	0
WINONA	283	255	0	1	0
WOODBURY	889	282	3	4	3
WORTHINGTON	254	114	1	4	3
WYOMING	76	38	1	0	0

*Municipalities with a population of 2,500 or more as of the 2000 Census

Live Births

Every day in 2013, residents of Minnesota
experienced an average of:

190 Births

72 First Births

12 Births Weighing
<2500 Grams

29 Births to Women
Age 35 and Older

8 Births to Women
Age 19 and Under

5 Births in which Prenatal
Care was Initiated Late or
Not at All

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2013

County	Births Occurring in County				Resident Births		Total
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		
					Within Minnesota	Outside Minnesota	
State Total	68,494	43,734	23,091	1,669	23,091	2,358	69,183
Aitkin	74	59	15	0	54	0	113
Anoka	3,116	2,058	1,055	3	2,152	15	4,225
Becker	503	312	189	2	54	52	418
Beltrami	999	648	350	1	36	9	693
Benton	8	7	1	0	519	1	527
Big Stone	74	41	12	21	8	7	56
Blue Earth	1,469	686	773	10	45	2	733
Brown	352	219	131	2	66	3	288
Carlton	225	107	117	1	234	1	342
Carver	1,304	607	696	1	514	4	1,125
Cass	3	3	0	0	327	6	336
Chippewa	114	67	47	0	79	0	146
Chisago	711	288	417	6	202	34	524
Clay	8	7	0	1	23	782	812
Clearwater	9	9	0	0	98	3	110
Cook	5	5	0	0	35	0	40
Cottonwood	112	76	36	0	45	16	137
Crow Wing	692	510	180	2	190	1	701
Dakota	3,301	2,191	1,073	37	2,933	24	5,148
Dodge	5	5	0	0	241	0	246
Douglas	648	372	270	6	26	3	401
Faribault	55	42	7	6	94	1	137
Fillmore	44	44	0	0	164	53	261
Freeborn	395	281	49	65	71	4	356
Goodhue	315	215	67	33	254	4	473
Grant	0	0	0	0	82	2	84
Hennepin	21,087	14,763	6,223	101	1,758	63	16,584
Minneapolis	10,004	4,100	5,828	76	1,987	29	6,116
Houston	1	1	0	0	7	186	194
Hubbard	120	80	40	0	137	9	226
Isanti	454	234	220	0	200	4	438
Itasca	395	352	43	0	99	2	453
Jackson	3	2	0	1	98	16	116
Kanabec	159	65	93	1	106	1	172
Kandiyohi	839	563	275	1	53	2	618
Kittson	4	4	0	0	22	29	55
Koochiching	76	75	0	1	42	0	117
Lac Qui Parle	9	4	5	0	54	13	71
Lake	3	3	0	0	110	0	113
Lake of the Woods	0	0	0	0	30	4	34
Le Sueur	2	2	0	0	291	2	295
Lincoln	2	2	0	0	36	35	73
Lyon	488	322	164	2	12	27	361
McLeod	440	277	162	1	139	0	416
Mahnomen	4	3	1	0	95	14	112

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2013

County	Births Occurring in County				Resident Births		Total
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		
					Within Minnesota	Outside Minnesota	
Marshall	1	1	0	0	60	62	123
Martin	250	182	42	26	31	10	223
Meeker	155	127	28	0	148	1	276
Mille Lacs	9	9	0	0	295	1	305
Morrison	211	175	36	0	217	0	392
Mower	427	362	43	22	127	1	490
Murray	1	1	0	0	65	11	77
Nicollet	4	3	0	1	368	1	372
Nobles	413	286	111	16	28	58	372
Norman	4	4	0	0	18	51	73
Olmsted	3,212	2,123	964	125	29	11	2,163
Otter Tail	484	391	90	3	193	47	631
Pennington	277	134	141	2	6	22	162
Pine	1	1	0	0	302	4	307
Pipestone	69	48	16	5	37	47	132
Polk	180	113	65	2	27	243	383
Pope	57	37	20	0	85	0	122
Ramsey	9,878	5,638	4,062	178	2,149	46	7,833
St. Paul	7,090	2,949	3,985	156	2,230	31	5,210
Red Lake	0	0	0	0	46	14	60
Redwood	100	78	22	0	110	4	192
Renville	16	14	2	0	144	2	160
Rice	398	319	78	1	413	0	732
Rock	125	56	57	12	1	44	101
Roseau	235	194	28	13	22	20	236
St. Louis	2,972	1,978	522	472	49	6	2,033
Duluth	2,302	1,011	819	472	18	4	1,033
Scott	1,426	873	547	6	1,002	5	1,880
Sherburne	467	202	265	0	958	2	1,162
Sibley	5	5	0	0	156	0	161
Stearns	3,120	1,860	1,255	5	153	6	2,019
Steele	552	379	171	2	92	2	473
Stevens	98	78	19	1	44	4	126
Swift	0	0	0	0	105	1	106
Todd	601	216	382	3	115	0	331
Traverse	0	0	0	0	21	14	35
Wabasha	73	39	13	21	199	3	241
Wadena	175	67	108	0	99	2	168
Waseca	2	2	0	0	204	0	206
Washington	2,392	1,093	1,018	281	1,718	46	2,857
Watonwan	3	2	1	0	131	0	133
Wilkin	177	43	12	122	12	11	66
Winona	369	305	20	44	100	104	509
Wright	899	667	231	1	1,119	1	1,787
Yellow Medicine	29	18	11	0	55	17	90
Unknown	0	0	0	0	3	0	3

Live Births - Table 2
 Education of Mother, Age 25 and over*
 Minnesota Resident Births, 2013

		Total Births	No High School Diploma	High School Diploma/ Equivalent	Some College - No degree	Associate Degree	Bachelor's Degree	Graduate or Professional Level
Total	Number	52,356	3,144	6,328	8,972	8,076	17,149	8,687
	% of Total		6.0	12.1	17.1	15.4	32.8	16.6
White	Number	42,590	1,185	4,255	7,028	7,116	15,453	7,553
	% of Total		2.8	10.0	16.5	16.7	36.3	17.7
African American	Number	5,091	1,315	1,236	1,206	532	551	251
	% of Total		25.8	24.3	23.7	10.4	10.8	4.9
American Indian	Number	680	133	256	150	82	43	16
	% of Total		19.6	37.6	22.1	12.1	6.3	2.4
Asian/Pacific Islander	Number	3,995	511	581	588	346	1,102	867
	% of Total		12.8	14.5	14.7	8.7	27.6	21.7
Hispanic**	Number	3,003	1,256	648	410	197	325	167
	% of Total		41.8	21.6	13.7	6.6	10.8	5.6

*Includes only those mothers for whom education was reported.

**Persons of Hispanic origin may be of any race.

Live Births - Table 3
Race and Hispanic Origin of Mother
Minnesota Resident Births, 2013

	Total	Not Hispanic	Hispanic	Unknown Ethnicity
Total	69,183	64,197	4,664	322
White	52,409	50,169	2,125	115
African American	7,556	7,431	114	11
American Indian	1,333	1,264	67	2
Asian/Pacific Islander	5,276	5,245	30	1
Other Race	2,316	52	2,259	5
Unknown Race	293	36	69	188

Live Births - Table 4
Race and Hispanic Origin by Age of Mother
Minnesota Resident Births, 2013

	Total	White	African American	American Indian	Asian & Pacific Islander	Other/Unknown	Hispanic*
Age of Mother	69,183	52,409	7,556	1,333	5,276	2,609	4,664
<15	31	13	10	2	1	5	9
15-17	758	410	143	56	76	73	150
18-19	2,192	1,343	410	115	176	148	323
Teen Mom Total	2,981	1,766	563	173	253	226	482
20-24	11,746	7,906	1,801	466	982	591	1,158
25-29	21,920	16,868	2,299	375	1,618	760	1,303
30-34	22,013	17,816	1,813	226	1,542	616	1,052
35-39	8,701	6,781	811	76	693	340	557
40-44	1,688	1,183	245	15	172	73	106
45+	134	89	24	2	16	3	6

*Persons of Hispanic origin may be of any race.

Live Births - Table 5
Race of Mother*
2013 Minnesota Resident Births

WHITE	53,046
AFRICAN AMERICAN	5,066
SOMALI	1,957
ETHIOPIAN	556
LIBERIAN	350
KENYAN	182
SUDANESE	87
NIGERIAN	191
GHANIAN	74
OTHER AFRICAN	295
AMERICAN INDIAN	1,858
ASIAN INDIAN	952
CHINESE	362
FILIPINO	243
JAPANESE	99
KOREAN	318
VIETNAMESE	362
HMONG	2,165
CAMBODIAN	156
LAOTIAN	238
OTHER ASIAN	626
HAWAIIAN	30
GUAMANIAN/CHAMORRO	9
SAMOAN	9
OTHER PACIFIC ISLANDER	33
OTHER RACE	2,568

*more than one category may be selected, thus counts sum to more than the Minnesota resident birth total of 69,183

Note: These categories correspond to those listed on the birth certificate worksheet. Counts are the number of records on which that checkbox was indicated. The race(s) chosen do not necessarily correspond with birth country of mother.

Live Births - Table 6
 Birth Country of Mother
 2013 Minnesota Resident Births

Country	# of Births
UNITED STATES	56,948
FOREIGN-BORN	12,178
SOMALIA	1,939
MEXICO	1,874
THAILAND	850
INDIA	791
ETHIOPIA	649
LAOS	624
LIBERIA	391
VIETNAM	291
SOUTH KOREA	270
CHINA	249
KENYA	245
GUATEMALA	207
CANADA	201
BURMA	197
EL SALVADOR	197
NIGERIA	193
PHILIPPINES	184
ECUADOR	183
GERMANY	147
UKRAINE	108
RUSSIA	103
SUDAN	99
HONDURAS	98
CAMBODIA	84
PAKISTAN	83
COLOMBIA	83
GHANA	83

Live Births - Table 7
Smoking Quit Rates by Age of Mother*
Minnesota Residents, 2013

	Age of Mother													
	Total	Percent	< 20		20-24		25-29		30-34		35-39		40+	
			#	%	#	%	#	%	#	%	#	%	#	%
Smoked 3 Months Prior	9,165		696		2,991		2,915		1,858		595		110	
Quit Prior to Pregnancy ¹	2,044	22.3	151	21.7	634	21.2	688	23.6	436	23.5	111	18.7	24	21.8
Quit During Pregnancy ²	1,356	14.8	152	21.8	422	14.1	408	14.0	279	15.0	82	13.8	13	11.8

¹Smoked 3 mths prior, but not during pregnancy

²Smoked 3 mths prior and during 1st and/or 2nd trimester, but not 3rd
(definitions per National Center for Health Statistics)

*Table includes only mothers for whom # of cigarettes smoked each trimester was reported.

Live Births - Table 8
 Pre-Pregnancy BMI¹ of Mother by Selected Birth Outcome
 Minnesota Resident Births, 2013

Pre-Pregnancy BMI Range	Total		C-Section Delivery		Maternal Diabetes			
	Count	% of Births	Count	Row % ²	Pre-Existing Count	Pre-Existing Row % ²	Gestational Count	Gestational Row % ²
Underweight (BMI < 19.0)	2,673	3.9	470	17.6	10	0.4	82	3.1
Acceptable (BMI 19.0 - 24.9)	30,046	43.4	6,449	21.5	101	0.3	1,154	3.8
Overweight (BMI 25.0 - 29.9)	18,089	26.1	4,994	27.6	165	0.9	1,158	6.4
Obese (BMI 30.0 - 40.9)	14,474	20.9	5,226	36.1	204	1.4	1,673	11.6
Morbidly Obese (BMI > 40.9)	2,443	3.5	1,146	46.9	88	3.6	414	16.9
Height and/or weight not reported	1,458	2.1	-	-	-	-	-	-
Total Resident Births	69,183	100.0	18,569	26.8	584	0.8	4,555	6.6

¹BMI (body mass index) is weight in pounds divided by height in inches squared times 703.

²Percent of births in given BMI range

Live Births - Table 9
Pregnancies Resulting from Infertility Treatments
Minnesota Resident Mothers, 2013

	Total	Single	Twin	Triplet
Pregnancies¹				
Total pregnancies	67,944	66,694	1,230	20
# resulting from infertility treatments	1,191	946	233	12
% resulting from infertility treatments	1.8	1.4	18.9	60.0
Age of Mother				
<20	0	0	0	0
20-24	31	28	3	0
25-29	254	199	51	4
30-34	476	377	93	6
35-39	316	248	66	2
40-44	93	78	15	0
45+	21	16	5	0
Treatment Type				
Drugs/Artificial Insemination Only	602	533	63	6
Assisted Reproductive Technologies Only	546	383	157	6
Both Methods	13	9	4	0
Method Not Specified	30	21	9	0

¹Number of pregnancies, not number of births. Each mother is counted only once regardless of the plurality count of the pregnancy. In 2013, no pluralities greater than triplets were recorded.

Fertility Table 1
 Total Reported Pregnancies by Outcome and Rate
 Minnesota Residents, 1986 - 2013

Year	Total Reported Pregnancies*	Live Births	Induced Abortions	Fetal Deaths	Female Population Ages 15-44	Pregnancy Rate**
1986	81,882	65,766	15,716	400	997,501	82.1
1987	81,318	65,168	15,746	404	1,004,801	80.9
1988	83,335	66,745	16,124	466	1,020,209	81.7
1989	83,426	67,490	15,506	430	1,024,576	81.4
1990	83,714	67,985	15,280	449	1,025,919	81.6
1991	81,904	67,037	14,441	426	1,036,146	79.0
1992	79,844	65,591	13,846	407	1,049,175	76.1
1993	77,939	64,646	12,955	338	1,060,396	73.5
1994	78,344	64,277	13,702	365	1,073,649	73.0
1995	76,338	63,259	12,715	364	1,053,136	72.5
1996	76,909	63,681	12,876	352	1,066,220	72.1
1997	77,850	64,491	12,997	362	1,050,544	74.1
1998	78,646	65,207	13,050	389	1,054,458	74.6
1999	79,374	65,953	13,037	384	1,054,543	75.3
2000	81,039	67,451	13,200	388	1,082,642	74.9
2001	80,407	66,617	13,448	342	1,093,734	73.5
2002	81,284	68,037	12,902	345	1,096,832	74.1
2003	83,300	70,053	12,918	329	1,093,415	76.2
2004	83,719	70,614	12,755	350	1,095,018	76.5
2005	83,555	70,920	12,306	329	1,092,604	76.5
2006	86,814	73,515	12,948	351	1,070,877	81.1
2007	86,832	73,675	12,770	387	1,058,541	82.0
2008	84,653	72,382	11,896	375	1,048,477	80.7
2009	82,353	70,617	11,391	345	1,046,457	78.7
2010	79,329	68,407	10,570	352	1,045,681	75.9
2011	78,942	68,416	10,150	376	1,044,201	75.6
2012	78,906	68,783	9,758	365	1,046,298	75.4
2013	78,600	69,183	9,030	387	1,049,636	74.9

*Includes Live Births, Fetal Deaths of 20 weeks or more gestation, and Induced Abortions.
 Fetal Deaths of less than 20 weeks are not reported to the Minnesota Department of Health.

**Number of pregnancies per 1,000 women ages 15 - 44 years.

Fertility Table 2
Pregnancy Outcomes and Pregnancy Rates by Age of Woman
Minnesota Residents, 2000 - 2013

Year/ Event	Total	Age of Woman							
		<15	15-19	20-24	25-29	30-34	35-39	40+	Unkwn
2000									
Reported Pregnancies ¹	81,039	150	7,575	18,085	22,261	20,994	9,764	2,180	30
Age Specific Pregnancy Rate ²	74.9	***	41.4	114.4	141.2	120.1	47.7	10.7	***
2001									
Reported Pregnancies ¹	80,407	130	7,266	18,449	21,796	20,752	9,722	2,286	6
Age Specific Pregnancy Rate ²	74.3	***	39.8	116.4	138.2	118.8	47.5	11.2	***
2002									
Reported Pregnancies ¹	81,284	127	7,090	19,054	22,131	20,986	9,649	2,244	3
Age Specific Pregnancy Rate ²	74.1	***	38.4	109.1	142.7	119.1	49.8	10.6	***
2003									
Reported Pregnancies ¹	83,295	105	6,830	19,314	23,390	21,353	9,982	2,320	6
Age Specific Pregnancy Rate ²	76.2	***	37.2	107.2	147.9	123.3	53.4	11.0	***
2004									
Reported Pregnancies ¹	83,719	120	6,820	19,598	24,014	20,732	10,172	2,258	5
Age Specific Pregnancy Rate ²	76.5	***	37.1	108.8	151.8	119.8	54.4	10.8	***
2005									
Reported Pregnancies ¹	83,552	109	6,622	19,304	24,668	20,188	10,264	2,394	3
Age Specific Pregnancy Rate ²	76.5	***	36.1	103.0	146.8	120.7	56.7	11.7	***
2006									
Reported Pregnancies ¹	86,814	114	7,014	20,245	26,184	20,378	10,521	2,355	3
Age Specific Pregnancy Rate ²	81.1	***	38.4	110.5	155.0	127.5	59.5	11.8	***
2007									
Reported Pregnancies ¹	86,832	120	7,109	19,971	26,763	20,550	10,038	2,275	6
Age Specific Pregnancy Rate ²	82.0	***	39.1	112.5	154.6	128.8	57.6	11.8	***
2008									
Reported Pregnancies ¹	84,653	114	6,598	18,910	26,455	20,595	9,690	2,291	0
Age Specific Pregnancy Rate ²	80.7	***	36.7	106.7	150.1	128.3	57.0	12.4	***
2009									
Reported Pregnancies ¹	82,353	81	5,981	18,061	25,964	20,672	9,250	2,340	4
Age Specific Pregnancy Rate ²	78.7	***	33.1	97.6	144.6	130.0	56.3	13.1	***
2010									
Reported Pregnancies ¹	79,329	89	5,351	16,455	25,102	21,031	9,023	2,275	3
Age Specific Pregnancy Rate ²	75.9	***	29.9	94.1	135.6	124.9	55.6	13.0	***
2011									
Reported Pregnancies ¹	78,942	72	4,743	15,622	24,946	22,090	9,102	2,356	11
Age Specific Pregnancy Rate ²	75.6	***	26.4	90.6	134.9	125.9	57.9	13.5	***
2012									
Reported Pregnancies ¹	78,906	77	4,392	15,501	24,543	22,865	9,189	2,333	6
Age Specific Pregnancy Rate ²	75.4	***	24.7	88.7	134.3	126.1	58.4	13.5	***
2013									
Reported Pregnancies ¹	78,600	57	3,878	14,698	24,416	23,771	9,604	2,174	2
Age Specific Pregnancy Rate ²	74.9	***	22.1	82.7	135.5	128.0	59.6	12.9	***

¹ Includes live births, fetal deaths of 20 week or more gestation, and induced abortions

² Pregnancies within a specific age group per 1,000 female population of that same age group. Total rate is calculated per 1,000 female population age 15-44.

*** Appropriate age-specific female population is not available for use in rate calculations.

Mortality

Every day in 2013, residents of Minnesota
experienced an average of:

112 Deaths

26 Cancer Deaths

21 Heart Disease Deaths

6 Stroke Deaths

6 Respiratory Deaths

4 Alzheimer's Deaths

3 Diabetic Deaths

7 Unintentional Injury Deaths

[1 Motor Vehicle Death]

[3 Deaths from Falls]

[3 Other Accidental Deaths]

39 Deaths From Other Causes

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2013

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
State Total	40,988	32,653	6,827	1,508	6,827	1,501	40,981
Aitkin	158	142	14	2	54	4	200
Anoka	1,677	1,394	269	14	469	21	1,884
Becker	291	259	26	6	16	67	342
Beltrami	405	333	66	6	32	38	403
Benton	260	216	44	0	113	2	331
Big Stone	69	58	4	7	5	15	78
Blue Earth	569	411	155	3	39	5	455
Brown	280	255	24	1	46	1	302
Carlton	310	274	34	2	105	4	383
Carver	500	354	138	8	103	10	467
Cass	191	159	25	7	131	17	307
Chippewa	133	120	13	0	47	2	169
Chisago	376	305	66	5	105	7	417
Clay	305	264	10	31	15	186	465
Clearwater	68	65	3	0	17	10	92
Cook	45	41	3	1	13	2	56
Cottonwood	125	108	17	0	15	19	142
Crow Wing	596	528	63	5	133	13	674
Dakota	1,785	1,531	225	29	747	42	2,320
Dodge	103	94	8	1	35	1	130
Douglas	351	313	35	3	46	19	378
Faribault	145	136	6	3	47	2	185
Fillmore	197	183	12	2	63	12	258
Freeborn	317	290	22	5	39	4	333
Goodhue	472	404	51	17	86	2	492
Grant	54	49	4	1	12	2	63
Hennepin	9,396	7,410	1,709	277	602	118	8,130
Minneapolis	3,542	1,850	1,513	179	555	37	2,442
Houston	110	98	8	4	4	63	165
Hubbard	169	144	24	1	44	28	216
Isanti	267	218	47	2	65	2	285
Itasca	414	394	16	4	95	10	499
Jackson	67	64	2	1	19	18	101
Kanabec	102	95	7	0	47	1	143
Kandiyohi	334	292	40	2	47	3	342
Kittson	61	58	3	0	3	15	76
Koochiching	126	124	1	1	44	2	170
Lac Qui Parle	65	62	3	0	18	9	89
Lake	123	104	16	3	43	3	150
Lake of the Woods	49	40	7	2	3	3	46
Le Sueur	152	137	13	2	96	1	234
Lincoln	57	55	2	0	3	13	71
Lyon	200	189	11	0	11	21	221
McLeod	300	260	37	3	82	5	347
Mahnomen	39	32	6	1	10	11	53

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2013

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
Marshall	49	47	2	0	13	32	92
Martin	210	199	5	6	37	6	242
Meeker	201	172	28	1	49	1	222
Mille Lacs	262	227	34	1	66	6	299
Morrison	263	241	21	1	73	4	318
Mower	344	323	12	9	75	8	406
Murray	81	74	7	0	9	17	100
Nicollet	193	163	29	1	81	3	247
Nobles	150	135	13	2	23	36	194
Norman	74	66	7	1	2	26	94
Olmsted	1,736	900	511	325	49	16	965
Otter Tail	576	532	32	12	65	68	665
Pennington	99	85	14	0	12	27	124
Pine	163	149	14	0	89	3	241
Pipestone	89	83	6	0	7	20	110
Polk	264	237	19	8	17	82	336
Pope	107	93	12	2	27	0	120
Ramsey	4,901	3,462	1,195	244	472	47	3,981
St. Paul	3,058	1,626	1,210	222	338	26	1,990
Red Lake	32	31	1	0	8	12	51
Redwood	168	142	26	0	41	6	189
Renville	137	127	10	0	47	3	177
Rice	435	370	62	3	114	9	493
Rock	126	96	26	4	4	17	117
Roseau	122	114	5	3	6	22	142
St. Louis	2,540	1,942	306	292	73	21	2,036
Duluth	1,587	784	518	285	28	7	819
Scott	514	386	117	11	171	9	566
Sherburne	418	316	99	3	170	6	492
Sibley	106	99	6	1	33	0	132
Stearns	1,347	811	518	18	110	6	927
Steele	261	226	30	5	59	4	289
Stevens	70	65	5	0	10	3	78
Swift	75	69	6	0	25	3	97
Todd	184	154	30	0	63	3	220
Traverse	35	33	0	2	5	15	53
Wabasha	168	148	7	13	55	3	206
Wadena	168	129	39	0	51	12	192
Waseca	136	123	12	1	52	4	179
Washington	1,202	985	177	40	451	35	1,471
Watonwan	113	105	7	1	29	3	137
Wilkin	78	57	2	19	5	21	83
Winona	340	315	13	12	43	35	393
Wright	534	476	54	4	234	5	715
Yellow Medicine	103	84	18	1	28	6	118
Unknown	1	0	1	0	5	3	8

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
Re- sid- ual	Other Infectious and Parasitic Diseases and Sequelae	T	104	3	1	0	0	0	0	1	4	0	0	1	4	9	6	8	11	12	10	34
		M	59	2	0	0	0	0	0	1	3	0	0	0	4	3	7	7	6	7	5	14
		F	45	1	1	0	0	0	0	0	1	0	0	1	0	6	-1	1	5	5	5	20
C00- D48	II. NEOPLASMS	T	9,899	1	5	7	7	9	13	28	36	57	123	211	473	769	937	1,209	1,309	1,324	1,386	1,995
		M	5,152	1	3	4	5	6	8	18	17	33	58	100	247	407	521	642	690	696	729	967
		F	4,747	0	2	3	2	3	5	10	19	24	65	111	226	362	416	567	619	628	657	1,028
C00- C97	Malignant Neoplasms	T	9,603	1	5	7	7	8	12	26	36	53	119	206	462	760	919	1,183	1,285	1,295	1,343	1,876
		M	4,992	1	3	4	5	6	7	16	17	31	57	97	242	401	510	632	671	678	702	912
		F	4,611	0	2	3	2	2	5	10	19	22	62	109	220	359	409	551	614	617	641	964
C00- C14	Of Lip, Oral Cavity and Pharynx	T	140	0	0	0	0	0	1	0	0	0	1	5	11	13	21	15	15	17	12	29
		M	96	0	0	0	0	0	1	0	0	0	1	4	10	9	14	11	13	12	9	12
		F	44	0	0	0	0	0	0	0	0	0	0	1	1	4	7	4	2	5	3	17
C15	Of Esophagus	T	249	0	0	0	0	0	0	0	2	0	5	5	14	26	31	34	38	32	31	31
		M	191	0	0	0	0	0	0	0	2	0	3	3	11	20	26	30	26	25	24	21
		F	58	0	0	0	0	0	0	0	0	0	2	2	3	6	5	4	12	7	7	10
C16	Of Stomach	T	151	0	0	0	0	0	0	1	2	2	2	4	14	11	14	16	15	22	20	28
		M	99	0	0	0	0	0	0	0	1	2	1	3	10	8	8	11	9	15	14	17
		F	52	0	0	0	0	0	0	1	1	0	1	1	4	3	6	5	6	7	6	11
C18- C21	Of Colon, Rectum, and Anus	T	796	0	0	0	1	0	0	1	3	7	11	22	37	64	60	87	93	102	110	198
		M	384	0	0	0	0	0	0	0	1	3	9	12	20	40	32	47	46	54	50	70
		F	412	0	0	0	1	0	0	1	2	4	2	10	17	24	28	40	47	48	60	128
C22	Of Liver and Intrahepatic Bile Ducts	T	306	0	0	0	0	1	0	2	2	3	6	9	22	46	49	54	24	36	26	26
		M	216	0	0	0	0	1	0	2	2	2	2	8	17	35	41	37	16	22	15	16
		F	90	0	0	0	0	0	0	0	0	1	4	1	5	11	8	17	8	14	11	10
C25	Of Pancreas	T	681	0	0	0	0	0	0	0	1	0	10	10	32	56	85	81	100	86	86	134
		M	366	0	0	0	0	0	0	0	1	0	7	6	20	39	53	48	47	54	43	48
		F	315	0	0	0	0	0	0	0	0	0	3	4	12	17	32	33	53	32	43	86

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
C32	Of Larynx	T	32	0	0	0	0	0	0	0	0	0	0	1	2	2	5	7	3	4	4	4
		M	26	0	0	0	0	0	0	0	0	0	0	1	2	1	4	5	2	3	4	4
		F	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	0	0
C33- C34	Of Trachea, Bronchus, and Lung	T	2,392	0	0	0	0	0	1	1	3	4	15	33	104	181	249	357	398	365	360	321
		M	1,289	0	0	0	0	0	1	1	2	2	9	17	58	99	143	185	217	176	196	183
		F	1,103	0	0	0	0	0	0	1	2	6	16	46	82	106	172	181	189	164	138	
C43	Of Skin	T	164	0	0	0	0	0	0	3	3	4	5	8	9	13	13	22	16	20	19	29
		M	106	0	0	0	0	0	0	3	1	2	4	6	7	10	8	15	12	8	13	17
		F	58	0	0	0	0	0	0	2	2	1	2	2	3	5	7	4	12	6	12	
C50	Of Breast	T	671	0	0	0	0	0	0	1	2	3	19	35	51	70	68	82	71	65	75	129
		M	6	0	0	0	0	0	0	0	0	0	0	2	2	0	1	0	0	0	1	0
		F	665	0	0	0	0	0	0	1	2	3	19	33	49	70	67	82	71	65	74	129
C53	Of Cervix Uteri	T	51	0	0	0	0	0	0	0	2	2	7	4	6	11	7	4	1	1	4	2
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	51	0	0	0	0	0	0	0	2	2	7	4	6	11	7	4	1	1	4	2
C54- C55	Of Corpus Uteri and Uterus	T	140	0	0	0	0	0	0	0	1	3	3	9	10	14	17	16	19	14	14	34
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	140	0	0	0	0	0	0	0	1	3	3	9	10	14	17	16	19	14	14	34
C56	Of Ovary	T	240	0	0	0	0	1	1	0	0	0	0	5	14	24	26	31	41	27	28	42
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	240	0	0	0	0	1	1	0	0	0	0	5	14	24	26	31	41	27	28	42
C61	Of Prostate	T	506	0	0	0	0	0	0	0	0	0	0	1	6	12	18	48	49	71	88	213
		M	506	0	0	0	0	0	0	0	0	0	0	1	6	12	18	48	49	71	88	213
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C64- C65	Of Kidney and Renal Pelvis	T	260	0	0	0	0	0	0	1	1	3	2	5	17	27	25	33	42	33	30	41
		M	166	0	0	0	0	0	0	0	1	2	2	2	12	17	18	26	32	22	13	19
		F	94	0	0	0	0	0	0	1	0	1	0	3	5	10	7	7	10	11	17	22

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
C67	Of Bladder	T	265	0	0	0	0	0	0	0	2	0	6	1	13	12	25	33	36	46	91	
		M	180	0	0	0	0	0	0	0	2	0	3	1	6	8	16	23	26	32	63	
		F	85	0	0	0	0	0	0	0	0	0	3	0	7	4	9	10	10	14	28	
C70- C72	Of Meninges, Brain and Other Parts of Central Nervous System	T	258	0	2	3	2	2	2	3	3	7	9	18	22	29	33	38	25	25	16	19
		M	158	0	0	2	2	2	1	1	2	4	5	10	13	20	26	22	17	13	12	6
		F	100	0	2	1	0	0	1	2	1	3	4	8	9	9	7	16	8	12	4	13
C81- C96	Of Lymphoid, Hematopoietic, and Related Tissue	T	1,064	1	2	3	2	0	1	5	9	5	13	11	39	64	69	106	147	155	203	229
		M	592	1	2	2	2	0	0	4	2	4	6	8	29	35	46	68	93	77	109	104
		F	472	0	0	1	0	0	1	1	7	1	7	3	10	29	23	38	54	78	94	125
C81	Hodgkin's Disease	T	21	0	0	0	0	0	0	0	1	0	0	0	2	0	2	1	6	1	3	5
		M	11	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	4	0	1	2
		F	10	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	1	2	3
C82- C85	Non-Hodgkin's Lymphoma	T	395	0	0	0	1	0	1	3	3	3	8	2	12	23	25	40	53	54	81	86
		M	212	0	0	0	1	0	0	2	2	3	4	1	10	15	18	21	32	26	40	37
		F	183	0	0	0	0	0	1	1	1	0	4	1	2	8	7	19	21	28	41	49
C91- C95	Leukemia	T	437	1	2	3	1	0	0	2	5	2	2	5	14	30	30	34	55	74	72	105
		M	251	1	2	2	1	0	0	2	0	1	0	3	8	14	21	27	35	37	48	49
		F	186	0	0	1	0	0	0	0	5	1	2	2	6	16	9	7	20	37	24	56
C88 C90	Multiple Myeloma and Immunoprolifer- ative Neoplasms	T	209	0	0	0	0	0	0	0	0	3	4	10	11	12	31	33	26	47	32	
		M	117	0	0	0	0	0	0	0	0	2	4	8	6	6	19	22	14	20	16	
		F	92	0	0	0	0	0	0	0	0	1	0	2	5	6	12	11	12	27	16	
C96	Other Lymphoid, Hematopouetic, and Related Tissue	T	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
		M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Re- sid- ual	Other Malignant Neoplasms	T	941	0	1	1	2	3	5	6	3	6	7	16	41	79	102	100	134	150	128	157
		M	451	0	1	0	1	3	3	3	2	6	7	8	19	44	53	53	50	82	52	64
		F	490	0	0	1	1	0	2	3	1	0	0	8	22	35	49	47	84	68	76	93

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
D00- D48	In Situ and Benign Neoplasms and Neoplasms of Uncertain Behavior	T	296	0	0	0	0	1	1	2	0	4	4	5	11	9	18	26	24	29	43	119
		M	160	0	0	0	0	0	1	2	0	2	1	3	5	6	11	10	19	18	27	55
		F	136	0	0	0	0	1	0	0	0	2	3	2	6	3	7	16	5	11	16	64
D50- D89	III. DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS	T	164	2	0	1	0	2	1	2	0	0	3	8	5	7	5	13	10	16	24	65
		M	75	0	0	0	0	1	0	2	0	0	2	4	4	4	2	5	7	10	11	23
		F	89	2	0	1	0	1	1	0	0	1	4	1	3	3	8	3	6	13	42	
D50- D64	Anemias	T	86	0	0	0	0	0	1	1	0	0	1	1	0	0	1	3	5	10	9	54
		M	33	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2	5	4	20	
		F	53	0	0	0	0	0	1	0	0	0	1	1	0	0	1	2	3	5	5	34
D65- D89	Other Diseases of the Blood and Blood-Forming Organs	T	78	2	0	1	0	2	0	1	0	0	2	7	5	7	4	10	5	6	15	11
		M	42	0	0	0	0	1	0	1	0	0	2	4	4	4	2	4	5	5	7	3
		F	36	2	0	1	0	1	0	0	0	0	3	1	3	2	6	0	1	8	8	
E00- E90	IV. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	T	1,571	3	2	1	4	3	2	10	9	16	18	35	72	80	125	150	158	163	245	475
		M	846	2	1	0	3	2	0	7	5	9	10	22	46	47	79	84	104	91	126	208
		F	725	1	1	1	1	1	2	3	4	7	8	13	26	33	46	66	54	72	119	267
E10- E14	Diabetes Mellitus	T	1,162	0	0	0	0	1	1	7	4	12	13	21	57	54	96	114	120	126	196	340
		M	649	0	0	0	0	0	0	5	3	7	8	13	37	33	58	64	82	74	103	162
		F	513	0	0	0	0	1	1	2	1	5	5	8	20	21	38	50	38	52	93	178
E40- E64	Nutritional Deficiencies	T	33	0	0	0	0	0	1	0	0	0	0	1	0	1	1	4	5	3	6	11
		M	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	3	5
		F	18	0	0	0	0	0	1	0	0	0	0	1	0	1	1	2	2	1	3	6
E40- E46	Malnutrition	T	31	0	0	0	0	0	1	0	0	0	0	1	0	1	1	4	4	3	6	10
		M	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	3	4
		F	17	0	0	0	0	0	1	0	0	0	0	1	0	1	1	2	1	1	3	6
E50- E64	Other Nutritional Deficiencies	T	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total ***	T 40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M 20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F 20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
H60- H95	VIII. DISEASES OF THE EAR AND MASTOID PROCESS	T 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		M 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I00- I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	T 10,759	9	1	3	2	5	10	17	30	60	88	166	325	396	533	580	736	965	1,501	5,332
		M 5,440	7	1	3	1	5	4	11	22	39	60	123	232	293	387	397	471	576	800	2,008
		F 5,319	2	0	0	1	0	6	6	8	21	28	43	93	103	146	183	265	389	701	3,324
I00- I78	Major Cardiovascular Diseases	T 10,703	9	1	3	2	5	9	16	29	60	87	164	321	393	524	576	735	960	1,495	5,314
		M 5,411	7	1	3	1	5	4	11	22	39	59	122	230	291	382	395	470	573	797	1,999
		F 5,292	2	0	0	1	0	5	5	7	21	28	42	91	102	142	181	265	387	698	3,315
I00-I09, I11,I13, I20-I51	Diseases of the Heart	T 7,671	7	1	2	2	5	8	12	19	49	75	139	267	315	398	417	524	683	1,038	3,710
		M 4,125	6	1	2	1	5	4	8	15	29	56	104	199	241	297	306	336	437	591	1,487
		F 3,546	1	0	0	1	0	4	4	4	20	19	35	68	74	101	111	188	246	447	2,223
I00- I09	Acute Rheumatic Fever and Chronic Rheumatic Heart Diseases	T 73	0	0	0	0	0	0	0	2	0	0	0	1	0	5	1	3	9	13	39
		M 20	0	0	0	0	0	0	0	1	0	0	0	1	0	2	1	1	4	2	8
		F 53	0	0	0	0	0	0	0	1	0	0	0	0	0	3	0	2	5	11	31
I11	Hypertensive Heart Disease	T 156	0	0	0	0	0	0	0	1	1	5	3	7	8	8	6	10	9	14	84
		M 61	0	0	0	0	0	0	0	1	0	5	2	4	6	6	5	3	5	3	21
		F 95	0	0	0	0	0	0	0	0	1	0	1	3	2	2	1	7	4	11	63
I13	Hypertensive Heart and Renal Disease	T 41	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	2	1	4	30
		M 15	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	2	9
		F 26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	21
I20- I25	Ischemic Heart Diseases	T 4,170	0	0	0	0	0	2	4	6	26	42	93	189	227	265	272	337	405	574	1,728
		M 2,615	0	0	0	0	0	1	3	6	19	37	71	150	182	214	216	243	284	374	815
		F 1,555	0	0	0	0	0	1	1	0	7	5	22	39	45	51	56	94	121	200	913

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
I21- I22	Acute Myocardial Infarction	T	1,072	0	0	0	0	0	0	0	2	6	9	26	46	66	90	76	94	108	147	402
		M	617	0	0	0	0	0	0	0	2	5	9	20	35	51	73	55	58	61	81	167
		F	455	0	0	0	0	0	0	0	1	0	0	6	11	15	17	21	36	47	66	235
I24	Other Acute Ischemic Heart Diseases	T	39	0	0	0	0	0	0	0	0	0	1	0	5	1	2	2	6	1	5	16
		M	23	0	0	0	0	0	0	0	0	1	0	4	0	2	1	6	0	3	6	
		F	16	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	2	10	
I20, I25	Other Chronic Ischemic Heart Disease	T	3,063	0	0	0	0	0	2	4	4	20	32	67	138	160	173	194	237	296	422	1,314
		M	1,978	0	0	0	0	0	1	3	4	14	27	51	111	131	139	160	179	223	290	645
		F	1,085	0	0	0	0	0	1	1	0	6	5	16	27	29	34	34	58	73	132	669
I25.0	Atherosclerotic Cardiovascular Disease	T	296	0	0	0	0	0	0	2	1	9	5	21	20	23	22	25	21	38	109	
		M	197	0	0	0	0	0	0	2	1	8	5	18	18	21	19	18	18	26	43	
		F	99	0	0	0	0	0	0	0	0	1	0	3	2	2	3	7	3	12	66	
I20, I25.1-I25.9	Other Chronic Ischemic Heart	T	2,767	0	0	0	0	0	2	4	2	19	23	62	117	140	150	172	212	275	384	1,205
		M	1,781	0	0	0	0	0	1	3	2	13	19	46	93	113	118	141	161	205	264	602
		F	986	0	0	0	0	0	1	1	0	6	4	16	24	27	32	31	51	70	120	603
I26- I51	Other Heart Diseases	T	2,644	7	1	2	2	5	5	8	10	20	25	37	60	71	100	115	143	218	361	1,454
		M	1,163	6	1	2	1	5	2	5	7	9	13	25	39	46	61	69	75	118	173	506
		F	1,481	1	0	0	1	0	3	3	3	11	12	12	21	25	39	46	68	100	188	948
I33	Acute and Subacute Endocarditis	T	17	0	0	0	0	0	1	0	0	0	0	2	3	0	1	0	2	2	2	4
		M	10	0	0	0	0	0	1	0	0	0	0	2	2	0	1	0	1	1	1	1
		F	7	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1	3
I30-I31, I40	Diseases of Pericardium and Acute Myocarditis	T	24	0	0	0	0	1	0	1	0	1	0	3	2	1	0	1	2	3	4	5
		M	11	0	0	0	0	1	0	0	0	0	0	2	1	1	0	0	0	3	1	2
		F	13	0	0	0	0	0	0	1	0	1	0	1	1	0	1	2	0	3	3	3
I50	Heart Failure	T	1,140	1	0	1	0	0	0	0	1	2	0	5	7	6	15	26	43	79	160	794
		M	457	1	0	1	0	0	0	0	0	2	0	3	6	5	8	18	27	43	73	270
		F	683	0	0	0	0	0	0	0	1	0	0	2	1	1	7	8	16	36	87	524

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
I26-I28, I34-I38, I42-I49,I51	All Other Forms of Heart Disease	T	2,050	6	1	1	2	4	5	7	9	18	28	32	58	73	104	109	125	175	267	1,026
		M	936	5	1	1	1	4	2	5	7	7	14	23	35	47	66	65	61	96	135	361
		F	1,114	1	0	0	1	0	3	2	2	11	14	9	23	26	38	44	64	79	132	665
I10, I12	Essential Hypertension and Hypertensive Renal Disease	T	555	0	0	0	0	0	0	0	1	2	2	3	7	15	28	29	35	53	68	312
		M	216	0	0	0	0	0	0	0	1	2	1	2	4	14	21	18	22	21	25	85
		F	339	0	0	0	0	0	0	0	0	0	1	1	3	1	7	11	13	32	43	227
I60- I69	Cerebrovascular Diseases	T	2,051	2	0	1	0	0	1	1	4	3	7	17	40	51	77	102	127	191	328	1,099
		M	857	1	0	1	0	0	0	1	2	3	0	13	23	31	49	55	82	99	151	346
		F	1,194	1	0	0	0	0	1	0	2	0	7	4	17	20	28	47	45	92	177	753
I70	Atherosclerosis	T	57	0	0	0	0	0	0	0	0	0	0	0	2	0	1	3	7	2	13	29
		M	29	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	4	0	6	15
		F	28	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	2	7	14
I71- I78	Other Diseases of the Circulatory System	T	369	0	0	0	0	0	0	3	5	6	3	5	5	12	20	25	42	31	48	164
		M	184	0	0	0	0	0	0	2	4	5	2	3	3	5	14	14	26	16	24	66
		F	185	0	0	0	0	0	0	1	1	1	1	2	2	7	6	11	16	15	24	98
I71	Aortic Aneurysm and Dissection	T	213	0	0	0	0	0	0	3	3	4	3	4	4	5	17	14	22	24	28	82
		M	118	0	0	0	0	0	0	2	3	3	2	3	3	2	13	8	14	15	14	36
		F	95	0	0	0	0	0	0	1	0	1	1	1	1	3	4	6	8	9	14	46
I72- I78	Diseases of the Arteries, Arterioles, and Capillaries	T	156	0	0	0	0	0	0	0	2	2	0	1	1	7	3	11	20	7	20	82
		M	66	0	0	0	0	0	0	0	1	2	0	0	0	3	1	6	12	1	10	30
		F	90	0	0	0	0	0	0	0	1	0	0	1	1	4	2	5	8	6	10	52
I80- I99	Other Disorders of the Circulatory System	T	56	0	0	0	0	0	1	1	1	0	1	2	4	3	9	4	1	5	6	18
		M	29	0	0	0	0	0	0	0	0	0	1	1	2	2	5	2	1	3	3	9
		F	27	0	0	0	0	0	1	1	1	0	0	1	2	1	4	2	0	2	3	9
J00- J99	X. DISEASES OF THE RESPIRATORY SYSTEM	T	3,912	8	5	3	2	4	2	6	10	12	20	34	80	112	196	275	426	537	698	1,482
		M	1,925	5	3	2	0	3	0	2	6	2	7	16	33	62	101	152	238	261	379	653
		F	1,987	3	2	1	2	1	2	4	4	10	13	18	47	50	95	123	188	276	319	829

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
J10- J18	Influenza and Pneumonia	T	749	6	4	0	1	1	0	4	2	2	10	11	18	13	29	32	33	64	100	419
		M	355	3	2	0	0	0	0	1	0	1	5	6	10	7	19	16	22	32	56	175
		F	394	3	2	0	1	1	0	3	2	1	5	5	8	6	10	16	11	32	44	244
J10- J11	Influenza	T	140	3	1	0	1	1	0	1	0	0	1	2	2	3	3	5	7	15	19	76
		M	56	1	0	0	0	0	0	0	0	0	0	0	1	2	2	2	6	6	8	28
		F	84	2	1	0	1	1	0	1	0	0	1	2	1	1	1	3	1	9	11	48
J12- J18	Pneumonia	T	609	3	3	0	0	0	0	3	2	2	9	9	16	10	26	27	26	49	81	343
		M	299	2	2	0	0	0	0	1	0	1	5	6	9	5	17	14	16	26	48	147
		F	310	1	1	0	0	0	0	2	2	1	4	3	7	5	9	13	10	23	33	196
J20- J22	Other Acute Lower Respiratory Infections	T	4	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
		M	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		F	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
J20- J21	Acute Bronchitis and Bronchiolitis	T	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
		M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		F	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
J22	Unspecified Acute Lower Respiratory Infection	T	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J40- J47	Chronic Lower Respiratory Diseases	T	2,285	0	1	3	0	3	1	1	4	2	4	14	43	72	125	183	312	353	430	734
		M	1,080	0	1	2	0	3	0	0	3	1	2	6	14	38	62	98	159	156	223	312
		F	1,205	0	0	1	0	0	1	1	1	1	2	8	29	34	63	85	153	197	207	422
J40- J42	Bronchitis, Chronic and Unspecified	T	8	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	1	0	1	3
		M	5	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	2
		F	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
J43	Emphysema	T	86	0	0	0	0	0	0	0	0	0	1	1	5	6	7	10	13	10	11	22
		M	46	0	0	0	0	0	0	0	0	0	1	1	1	5	3	4	9	5	7	10
		F	40	0	0	0	0	0	0	0	0	0	0	0	4	1	4	6	4	5	4	12

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
J45- J46	Asthma	T	80	0	0	3	0	2	1	1	3	2	2	4	6	2	8	4	3	8	9	22
		M	32	0	0	2	0	2	0	0	2	1	1	3	1	0	3	3	3	0	4	7
		F	48	0	0	1	0	0	1	1	1	1	1	1	5	2	5	1	0	8	5	15
J44, J47	Other Chronic Lower Respiratory Diseases	T	2,111	0	0	0	0	0	0	0	0	0	1	9	32	64	110	169	295	335	409	687
		M	997	0	0	0	0	0	0	0	0	0	2	12	33	56	91	147	151	212	293	
		F	1,114	0	0	0	0	0	0	0	0	0	1	7	20	31	54	78	148	184	197	394
J60- J66, J68	Pneumoconioses and Chemical Effects	T	14	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	4	2	5
		M	14	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	4	2	5
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J69	Pneumonitis Due to Solids and Liquids	T	249	0	0	0	0	0	0	0	1	2	1	1	7	11	9	7	12	19	51	128
		M	139	0	0	0	0	0	0	0	1	0	0	1	2	6	4	3	7	15	29	71
		F	110	0	0	0	0	0	0	0	2	1	0	5	5	5	4	5	4	22	57	
Re- sid- ual	Other Disease of the Respiratory System	T	611	2	0	0	1	0	1	1	3	5	5	6	12	15	33	53	68	97	114	195
		M	335	2	0	0	0	0	0	1	2	0	0	1	7	10	16	35	49	54	68	90
		F	276	0	0	0	1	0	1	0	1	5	5	5	5	5	17	18	19	43	46	105
K00- K93	XI. DISEASES OF THE DIGESTIVE SYSTEM	T	1,564	3	0	2	2	0	3	6	10	23	38	65	122	152	157	124	144	139	153	421
		M	810	2	0	1	1	0	1	4	8	14	23	37	79	97	110	59	82	71	75	146
		F	754	1	0	1	1	0	2	2	2	9	15	28	43	55	47	65	62	68	78	275
K25- K28	Peptic Ulcer	T	40	0	0	0	0	0	0	0	0	1	0	2	3	2	8	3	4	3	9	5
		M	19	0	0	0	0	0	0	0	0	1	0	0	3	1	4	1	3	1	4	1
		F	21	0	0	0	0	0	0	0	0	0	0	2	0	1	4	2	1	2	5	4
K35- K38	Diseases of the Appendix	T	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
K40- K46	Hernia	T	33	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	4	7	14	
		M	13	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2	2	5	
		F	20	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	5	9	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 to Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
K70, K73- K74	Chronic Liver Disease and Cirrhosis	T	517	0	0	0	0	0	0	5	6	11	26	36	82	93	89	46	46	30	23	24
		M	349	0	0	0	0	0	0	4	5	7	16	25	55	60	66	29	33	19	16	14
		F	168	0	0	0	0	0	0	1	1	4	10	11	27	33	23	17	13	11	7	10
K70	Alcoholic Liver Disease	T	304	0	0	0	0	0	0	5	4	10	22	25	68	60	56	21	21	9	2	1
		M	216	0	0	0	0	0	0	4	3	7	14	18	47	38	46	12	16	8	2	1
		F	88	0	0	0	0	0	0	1	1	3	8	7	21	22	10	9	5	1	0	0
K73- K74	Other Chronic Liver Disease and Cirrhosis	T	213	0	0	0	0	0	0	0	2	1	4	11	14	33	33	25	25	21	21	23
		M	133	0	0	0	0	0	0	0	2	0	2	7	8	22	20	17	17	11	14	13
		F	80	0	0	0	0	0	0	0	1	2	4	6	11	13	8	8	10	7	7	10
K80- K82	Cholelithiasis and Other Disorders of Gallbladder and Biliary Tract	T	75	0	0	0	0	0	0	0	0	0	0	1	1	2	3	5	5	11	12	35
		M	37	0	0	0	0	0	0	0	0	0	0	0	1	2	3	1	3	4	9	14
		F	38	0	0	0	0	0	0	0	0	0	0	1	0	0	0	4	2	7	3	21
Re- sid- ual	Other Disease of the Digestive System	T	897	3	0	2	2	0	3	1	4	11	12	26	36	55	55	67	86	91	101	342
		M	391	2	0	1	1	0	1	0	3	6	7	12	20	34	35	26	43	45	44	111
		F	506	1	0	1	1	0	2	1	1	5	5	14	16	21	20	41	43	46	57	231
L00- L99	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	T	67	0	0	0	0	0	0	0	1	0	1	0	1	5	4	5	4	9	13	24
		M	37	0	0	0	0	0	0	0	1	0	0	0	1	4	2	1	3	4	8	13
		F	30	0	0	0	0	0	0	0	0	0	1	0	0	1	2	4	1	5	5	11
M00- M99	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	T	254	0	0	0	1	0	1	2	2	2	1	5	5	8	15	16	25	27	44	100
		M	98	0	0	0	1	0	1	0	0	0	1	3	1	5	13	5	10	10	15	33
		F	156	0	0	0	0	0	0	2	2	2	0	2	4	3	2	11	15	17	29	67
N00- N99	XIV. DISEASES OF THE GENITOURINARY SYSTEM	T	884	2	0	0	0	0	2	1	2	4	6	5	11	23	39	57	75	94	124	439
		M	439	0	0	0	0	0	1	0	1	2	3	4	9	10	24	33	38	51	61	202
		F	445	2	0	0	0	0	1	1	1	2	3	1	2	13	15	24	37	43	63	237
N00-N07, N17-N19, N25-N27	Nephritis, Nephrotic Syndrome and Nephrosis	T	652	2	0	0	0	0	2	1	1	3	4	2	7	16	28	40	55	67	97	327
		M	336	0	0	0	0	0	1	0	1	1	2	2	6	7	18	25	28	37	48	160
		F	316	2	0	0	0	0	1	1	0	2	2	0	1	9	10	15	27	30	49	167

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
N00- N01, N04	Acute and Rapidly Progressive Nephritic & Nephrotic Syndrome	T	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	6
		M	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2
		F	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
N02-N03, N05-N07, N26	Chronic Glomerulo- Nephritis, Nephritis, and Renal Sclerosis	T	8	0	0	0	0	0	1	0	0	0	0	1	0	2	0	0	0	0	1	3
		M	6	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	3
		F	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
N17- N19	Renal Failure	T	635	2	0	0	0	0	1	1	1	3	4	1	7	14	28	39	54	66	96	318
		M	325	0	0	0	0	0	1	0	1	1	2	1	6	5	18	24	27	36	48	155
		F	310	2	0	0	0	0	0	1	0	2	2	0	1	9	10	15	27	30	48	163
N25, N27	Other Disorders of Kidney	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N10- N12, N13.6,N15.1	Infections of the Kidney	T	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	2
		M	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
		F	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1
N40	Hyperplasia of the Prostate	T	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	5
		M	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	5
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N70- N76	Inflammatory Diseases of Female Pelvic Organs	T	5	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	0	1
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	5	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0	0	0	0	1
Re- sid- ual	Other Diseases of the Genitourinary System	T	213	0	0	0	0	0	0	0	0	1	2	3	3	6	10	15	19	24	26	104
		M	92	0	0	0	0	0	0	0	0	1	1	2	2	3	6	8	10	11	12	36
		F	121	0	0	0	0	0	0	0	0	1	1	1	3	4	7	9	13	14	14	68
O00- O99	XV. PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T	11	0	0	0	0	1	2	1	1	1	3	0	2	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	11	0	0	0	0	1	2	1	1	1	3	0	2	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
O00- O07	Pregnancy with Abortive Outcome	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
O10- O99	Other Complications of Pregnancy	T	11	0	0	0	0	1	2	1	1	1	3	0	2	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	11	0	0	0	0	1	2	1	1	3	0	2	0	0	0	0	0	0	0	0
O08	Other Complications of Pregnancy, Childbirth, and the Puerperium	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P00- P96	XVI. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ***	T	162	161	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	96	95	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Q00- Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	T	200	91	9	5	5	2	7	2	3	4	4	5	10	13	14	7	3	3	6	7
		M	113	49	4	4	5	1	5	0	1	3	3	2	5	10	7	5	0	3	2	4
		F	87	42	5	1	0	1	2	2	2	1	1	3	5	3	7	2	3	0	4	3
R00- R99	XVIII. SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS	T	1,072	26	3	0	0	3	5	3	7	7	6	6	17	27	38	58	63	89	101	613
		M	447	14	1	0	0	2	3	3	6	5	4	5	14	15	20	36	43	48	45	183
		F	625	12	2	0	0	1	2	0	1	2	2	1	3	12	18	22	20	41	56	430
V01- Y98	XX. EXTERNAL CAUSES	T	3,418	29	14	18	24	84	189	182	191	163	146	213	255	243	172	135	149	155	256	800
		M	2,101	14	8	13	16	60	152	133	146	118	102	148	186	177	117	86	105	89	134	297
		F	1,317	15	6	5	8	24	37	49	45	45	44	65	69	66	55	49	44	66	122	503
V01- X59, Y85-Y86	Accidents	T	2,487	26	9	14	12	47	102	101	103	98	87	123	159	147	121	96	113	130	231	768
		M	1,401	13	5	10	8	27	77	75	77	72	63	81	108	107	83	58	72	77	115	273
		F	1,086	13	4	4	4	20	25	26	26	26	24	42	51	40	38	38	41	53	116	495

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 to Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total ***	T 40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M 20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F 20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
V01- V99, Y85	Transport Accidents	T 494	2	1	8	8	30	53	38	29	30	24	29	41	41	39	30	22	22	25	22
		M 338	0	1	5	5	14	39	29	26	24	20	17	31	29	27	19	15	12	13	12
		F 156	2	0	3	3	16	14	9	3	6	4	12	10	12	12	11	7	10	12	10
*	Motor Vehicle Accidents	T 464	1	1	7	8	30	51	37	27	28	19	27	37	37	38	27	22	21	25	21
		M 314	0	1	5	5	14	39	28	24	22	15	15	27	25	26	18	15	11	13	11
		F 150	1	0	2	3	16	12	9	3	6	4	12	10	12	12	9	7	10	12	10
**	Other Land Transport Accidents	T 8	1	0	0	0	0	0	0	1	2	0	1	2	0	0	0	0	1	0	0
		M 7	0	0	0	0	0	0	0	1	2	0	1	2	0	0	0	0	1	0	0
		F 1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
V90- V99, Y85	Water, Air, Space, and Other Unspecified Transport Accidents	T 22	0	0	1	0	0	2	1	1	0	5	1	2	4	1	3	0	0	0	1
		M 17	0	0	0	0	0	0	1	1	0	5	1	2	4	1	1	0	0	0	1
		F 5	0	0	1	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0
W00- X59, Y86	Non-Transport Accidents	T 1,959	24	7	5	4	16	47	63	71	66	63	92	116	102	80	64	90	104	205	740
		M 1,042	13	3	5	3	13	36	46	48	46	43	62	76	75	55	39	57	63	101	258
		F 917	11	4	0	1	3	11	17	23	20	20	30	40	27	25	25	33	41	104	482
W00- W19	Falls	T 1,075	1	0	0	0	1	2	1	1	2	4	14	16	25	31	37	63	82	169	626
		M 470	0	0	0	0	0	2	1	0	1	4	11	11	20	19	24	39	47	82	209
		F 605	1	0	0	0	1	0	0	1	1	0	3	5	5	12	13	24	35	87	417
W32- W34	Accidental Discharge of Firearms	T 4	0	0	0	0	0	1	0	1	0	0	1	0	1	0	0	0	0	0	0
		M 4	0	0	0	0	0	1	0	1	0	0	1	0	1	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
W65- W74	Accidental Drowning and Submersion	T 38	2	2	1	2	1	5	1	4	3	3	3	1	4	2	1	2	0	0	1
		M 33	2	1	1	2	1	5	1	3	3	2	1	1	4	2	1	2	0	0	1
		F 5	0	1	0	0	0	0	0	1	0	1	2	0	0	0	0	0	0	0	0

* V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2

** V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
X00- X09	Accidental Exposure to Smoke, Fire, and Flames	T	34	0	1	1	0	1	2	0	3	2	0	2	2	4	2	2	1	4	1	6
		M	21	0	1	0	0	0	2	0	3	2	0	2	1	3	1	0	0	2	1	3
		F	13	0	0	1	0	1	0	0	0	0	0	0	1	1	1	2	1	2	0	3
X40- X49	Accidental Poisoning and Exposure to Noxious Substances	T	493	0	1	0	1	12	32	55	55	53	48	63	77	45	29	9	3	4	4	2
		M	332	0	0	0	0	11	22	40	34	36	31	41	46	34	25	5	2	3	2	0
		F	161	0	1	0	1	1	10	15	21	17	17	22	31	11	4	4	1	1	2	2
Re- sid- ual	Other Non-Transport Accidents and Their Sequelae	T	315	21	3	3	1	1	5	6	7	6	8	9	20	23	16	15	21	14	31	105
		M	182	11	1	4	1	1	4	4	7	4	6	6	17	13	8	9	14	11	16	45
		F	133	10	2	-1	0	0	1	2	0	2	2	3	3	10	8	6	7	3	15	60
X60- X84, Y87.0	Intentional Self-Harm (Suicide)	T	683	0	0	0	12	32	57	58	60	47	46	68	80	78	43	30	29	11	17	15
		M	536	0	0	0	8	30	49	41	50	34	31	53	67	60	29	23	27	9	14	11
		F	147	0	0	0	4	2	8	17	10	13	15	15	13	18	14	7	2	2	3	4
X72- X74	By Discharge of Firearms	T	339	0	0	0	4	18	27	27	24	23	21	27	37	36	22	20	23	9	12	9
		M	298	0	0	0	3	18	23	21	21	20	17	22	34	33	18	18	22	7	12	9
		F	41	0	0	0	1	0	4	6	3	3	4	5	3	3	4	2	1	2	0	0
X60-X71, X75-X84, Y87.0	By Other and Unspecified Means and Their Sequelae	T	344	0	0	0	8	14	30	31	36	24	25	41	43	42	21	10	6	2	5	6
		M	238	0	0	0	5	12	26	20	29	14	14	31	33	27	11	5	5	2	2	2
		F	106	0	0	0	3	2	4	11	7	10	11	10	10	15	10	5	1	0	3	4
X85- Y09, Y87.1	Assault (Homicide)	T	134	1	4	3	0	5	29	18	19	11	6	14	6	5	2	3	3	2	0	3
		M	101	0	3	2	0	3	25	14	16	7	5	9	6	3	1	1	2	1	0	3
		F	33	1	1	1	0	2	4	4	3	4	1	5	0	2	1	2	1	1	0	0
X93- X95	By Discharge of Firearms	T	76	0	0	1	0	2	24	14	13	4	2	6	3	3	1	2	1	0	0	0
		M	65	0	0	1	0	2	23	11	12	4	2	3	3	2	0	1	1	0	0	0
		F	11	0	0	0	0	0	1	3	1	0	0	3	0	1	1	1	0	0	0	0
X85-X92, X96-Y09, Y87.1	By Other and Unspecified Means and Their Sequelae	T	58	1	4	2	0	3	5	4	6	7	4	8	3	2	1	1	2	2	0	3
		M	36	0	3	1	0	1	2	3	4	3	3	6	3	1	1	0	1	1	0	3
		F	22	1	1	1	0	2	3	1	2	4	1	2	0	1	0	1	1	1	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

10th Revi- sion No.	Cause of Death and Sex		Under 1 Total	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total ***	T	40,981	349	51	41	49	117	245	274	328	369	495	822	1,497	1,996	2,468	2,875	3,474	4,093	5,634	15,804
		M	20,347	197	25	28	34	82	181	189	229	239	295	501	930	1,219	1,527	1,635	1,998	2,175	2,878	5,985
		F	20,633	151	26	13	15	35	64	85	99	130	200	321	567	777	941	1,240	1,476	1,918	2,756	9,819
Y35, Y89.0	Legal Intervention	T	4	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	1	0
		M	4	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	1	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10- Y34, Y87.2,Y89.9	Events of Undetermined Intent	T	59	2	0	1	0	0	1	4	7	4	5	5	6	10	1	4	0	4	1	4
		M	32	1	0	1	0	0	1	2	2	4	3	2	3	5	0	3	0	2	0	3
		F	27	1	0	0	0	0	0	2	5	0	2	3	3	5	1	1	0	2	1	1
Y22- Y24	By Discharge of Firearms	T	4	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	1	0	0
		M	4	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	1	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10-Y21, Y25-Y34, Y87.2,Y89.9	By Other and Unspecified Means and Their Sequelae	T	55	2	0	1	0	0	1	3	7	4	4	4	6	10	1	4	0	3	1	4
		M	28	1	0	1	0	0	1	1	2	4	2	1	3	5	0	3	0	1	0	3
		F	27	1	0	0	0	0	0	2	5	0	2	3	3	5	1	1	0	2	1	1
Y36, Y89.1	Operations of War and Their Sequelae	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y40- Y84, Y88	Complications of Medical and Surgical Care	T	51	0	1	0	0	0	0	0	1	3	2	3	3	3	5	2	4	8	6	10
		M	27	0	0	0	0	0	0	0	0	1	0	3	1	2	4	1	4	0	4	7
		F	24	0	1	0	0	0	0	0	1	2	2	0	2	1	1	1	0	8	2	3

*** Total includes unknown gender.

Mortality Table 3
DEATHS DUE TO SELECTED CAUSES BY RACE
MINNESOTA RESIDENTS, 2013

	Total*	White	African American	American Indian	Asian and Pacific Islander	**Hispanic
Total - All Causes	40,981	38,576	1,174	488	602	358
HIV Disease	38	20	16	1	0	1
Malignant Neoplasms	9,603	9,098	240	94	141	83
Stomach	151	131	9	2	6	8
Colon, Rectum and Anus	796	742	18	12	21	8
Pancreas	681	652	23	4	2	3
Trachea, Bronchus, Lung	2,392	2,283	51	28	25	13
Breast	671	636	15	4	10	10
Cervix, Uterus, Ovary	431	411	6	5	6	7
Prostate	506	489	10	4	2	3
Non-Hodgkins Lymphoma	395	368	11	6	9	4
Leukemia	437	422	7	4	4	4
Other Malignancies	3,143	2,964	90	25	56	23
Diabetes Mellitus	1,162	1,057	46	23	34	16
Alzheimer's Disease	1,426	1,397	13	5	10	5
Major Cardiovascular	10,703	10,187	273	87	129	63
Diseases of Heart	7,671	7,329	184	72	65	47
Essential Hypertension						
& Hypertensive Renal	555	521	24	3	7	3
Cerebrovascular	2,051	1,935	52	9	50	12
Other Circulatory	426	402	13	3	7	1
Influenza & Pneumonia	749	705	21	10	11	4
Chronic Lower						
Respiratory Diseases	2,285	2,179	53	17	29	11
Chronic Liver Disease						
and Cirrhosis	517	472	12	26	4	8
Nephritis, Nephrotic						
Syndrome and Nephrosis	652	611	16	6	17	5
Pregnancy/Childbirth	11	9	1	1	0	0
All Other Diseases	10,417	9,805	293	118	161	96
Motor Vehicle Accidents	464	406	25	13	13	15
All Other Accidents	2,023	1,841	93	56	23	28
Intentional Self-Harm (Suicide)	683	620	20	24	17	7
Assault (Homicide)	134	62	48	6	11	15
Other External Causes	114	107	4	1	2	1

*Total includes Other and Unknown race

**Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Note: see Table 3A for crude rates.

Mortality Table 3A
 CRUDE DEATH RATES¹ PER 100,000 FOR SELECTED CAUSES BY RACE
 MINNESOTA RESIDENTS, 2013

	Total	White	African American	American Indian	Asian and Pacific Islander	Hispanic ²
Total - All Causes	756.1	826.0	380.8	688.7	242.9	132.3
HIV Disease	0.7	0.4	-	-	-	-
Malignant Neoplasms	177.2	194.8	77.8	132.7	56.9	30.7
Stomach	2.8	2.8	-	-	-	-
Colon, Rectum and Anus	14.7	15.9	5.8	-	8.5	-
Pancreas	12.6	14.0	7.5	-	-	-
Trachea, Bronchus, Lung	44.1	48.9	16.5	39.5	10.1	-
Breast	12.4	13.6	-	-	-	-
Cervix, Uterus, Ovary	8.0	8.8	-	-	-	-
Prostate	9.3	10.5	-	-	-	-
Non-Hodgkins Lymphoma	7.3	7.9	-	-	-	-
Leukemia	8.1	9.0	-	-	-	-
Other Malignancies	58.0	63.5	29.2	35.3	22.6	8.5
Diabetes Mellitus	21.4	22.6	14.9	32.5	13.7	-
Alzheimer's Disease	26.3	29.9	-	-	-	-
Major Cardiovascular	197.5	218.1	88.5	122.8	52.0	23.3
Diseases of Heart	141.5	156.9	59.7	101.6	26.2	17.4
Essential Hypertension & Hypertensive Renal	10.2	11.2	7.8	-	-	-
Cerebrovascular	37.8	41.4	16.9	-	20.2	-
Other Circulatory	7.9	8.6	-	-	-	-
Influenza & Pneumonia	13.8	15.1	6.8	-	-	-
Chronic Lower Respiratory Diseases	42.2	46.7	17.2	-	11.7	-
Chronic Liver Disease and Cirrhosis	9.5	10.1	-	36.7	-	-
Nephritis, Nephrotic Syndrome and Nephrosis	12.0	13.1	-	-	-	-
Pregnancy/Childbirth	-	-	-	-	-	-
All Other Diseases	192.2	210.0	95.0	166.5	65.0	35.5
Motor Vehicle Accidents	8.6	8.7	8.1	-	-	-
All Other Accidents	37.3	39.4	30.2	79.0	-	10.3
Intentional Self-Harm (Suicide)	12.6	13.3	6.5	33.9	6.9	-
Assault (Homicide)	2.5	1.3	15.6	-	-	-
Other External Causes	2.1	2.3	-	-	-	-

¹Rates not computed for counts <20

²Hispanic origin is reported separately from race. Persons of Hispanic origin may be from any racial group.

Note: see Table 3 for counts.

Mortality Table 4.1

U.S. Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2013

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	7,671	141.5	18.7
Malignant Neoplasms (C00-C97)	9,603	177.2	23.4
Chronic Lower Respiratory Diseases (J40-J47)	2,285	42.2	5.6
Cerebrovascular Diseases (I60-I69)	2,051	37.8	5.0
Accidents (V01-X59,Y85-Y86)	2,487	45.9	6.1
Motor Vehicle (***)	464	8.6	1.1
Falls (W00-W19)	1,075	19.8	2.6
Alzheimer's Disease (G30)	1,426	26.3	3.5
Diabetes Mellitus (E10-E14)	1,162	21.4	2.8
Influenza and Pneumonia (J10-J18)	749	13.8	1.8
Influenza (J10-J11)	140	2.6	0.3
Pneumonia (J12-J18)	609	11.2	1.5
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	652	12.0	1.6
Intentional Self-harm (suicide) (X60-X84,Y87.0)	683	12.6	1.7
Septicemia (A40-A41)	382	7.0	0.9
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	517	9.5	1.3
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	555	10.2	1.4
Parkinson's Disease (G20-G21)	571	10.5	1.4
Pneumonitis due to solids and liquids (J69)	249	4.6	0.6
All Other Causes	9,938	183.3	24.3
Total - All Causes	40,981	756.1	100.0

*These are the 15 leading causes of death in the U.S., per 2012 final data, with causes listed in descending order as they occur nation-wide. Counts are for Minnesota residents.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 4.2

MN Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2013

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Malignant Neoplasms (C00-C97)	9,603	177.2	23.4
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	7,671	141.5	18.7
Accidents (V01-X59,Y85-Y86)	2,487	45.9	6.1
Motor Vehicle (***)	464	8.6	1.1
Falls (W00-W19)	1,075	19.8	2.6
Chronic Lower Respiratory Diseases (J40-J47)	2,285	42.2	5.6
Cerebrovascular Diseases (I60-I69)	2,051	37.8	5.0
Alzheimer's Disease (G30)	1,426	26.3	3.5
Diabetes Mellitus (E10-E14)	1,162	21.4	2.8
Influenza and Pneumonia (J10-J18)	749	13.8	1.8
Influenza (J10-J11)	140	2.6	0.3
Pneumonia (J12-J18)	609	11.2	1.5
Intentional Self-harm (suicide) (X60-X84,Y87.0)	683	12.6	1.7
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	652	12.0	1.6
Parkinson's Disease (G20-G21)	571	10.5	1.4
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	555	10.2	1.4
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	517	9.5	1.3
Septicemia (A40-A41)	382	7.0	0.9
In Situ and Benign Neoplasms (D00-D48)	296	5.5	0.7
All Other Causes	9,891	182.5	24.1
Total - All Causes	40,981	756.1	100.0

*These are the 15 leading causes of death for residents of Minnesota listed in descending order of prevalence.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 5
LEADING CAUSES OF DEATH BY SELECTED AGE GROUPS
MINNESOTA RESIDENTS, 2013

	Age/Cause Specific Death Rate			Age/Cause Specific Death Rate			
	No. of Deaths	Percent	Per 100,000 Population	No. of Deaths	Percent	Per 100,000 Population	
<u>1-4 Years</u>				<u>35-49 Years</u>			
Total - all causes	51	100.0	18.3	Total - all causes	1,686	100.0	163.5
Accidents	9	17.6	3.2	Malignant Neoplasms	378	22.4	36.7
Motor Vehicle	1	2.0	0.4	Accidents	308	18.3	29.9
Congenital Anomalies	9	17.6	3.2	Motor Vehicle	74	4.4	7.2
Malignant Neoplasms	5	9.8	1.8	Diseases of the Heart	263	15.6	25.5
Influenza & Pneumonia	4	7.8	1.4	Intentional Self-Harm	161	9.5	15.6
Assault (Homicide)	4	7.8	1.4	Liver Disease, Cirrhosis	73	4.3	7.1
<u>5-9 Years</u>				<u>50-64 Years</u>			
Total - all causes	41	100.0	11.3	Total - all causes	5,961	100.0	539.6
Accidents	14	56.0	3.9	Malignant Neoplasms	2,141	35.9	193.8
Motor Vehicle	7	17.1	1.9	Diseases of the Heart	980	16.4	88.7
Malignant Neoplasms	7	17.1	1.9	Accidents	427	7.2	38.7
Congenital Anomalies	5	12.2	1.4	Motor Vehicle	112	1.9	10.1
<u>10-14 Years</u>				Liver Disease, Cirrhosis	264	4.4	23.9
Total - all causes	49	100.0	13.8	Chronic Lower			
Accidents	12	24.5	3.4	Respiratory Diseases	240	4.0	21.7
Motor Vehicle	8	16.3	2.3	Diabetes Mellitus	207	3.5	18.7
Intentional Self-Harm	12	24.5	3.4	Intentional Self-Harm	201	3.4	18.2
Malignant Neoplasms	7	14.3	2.0	<u>65-74 Years</u>			
Congenital Anomalies	5	10.2	1.4	Total - all causes	6,349	100.0	1,538.2
<u>15-19 Years</u>				Malignant Neoplasms	2,468	38.9	598.0
Total - all causes	117	100.0	32.6	Diseases of the Heart	941	14.8	228.0
Accidents	47	40.2	13.1	Chronic Lower			
Motor Vehicle	30	25.6	8.4	Respiratory Diseases	495	7.8	119.9
Intentional Self-Harm	32	27.4	8.9	Diabetes Mellitus	234	3.7	56.7
Malignant Neoplasms	8	6.8	2.2	Cerebrovascular Diseases	229	3.6	55.5
Assault (Homicide)	5	4.3	1.4	Accidents	209	3.3	50.6
<u>20-34 Years</u>				Motor Vehicle	49	0.8	11.9
Total - all causes	847	100.0	76.7	Falls	100	1.6	24.2
Accidents	306	36.1	27.7	<u>75 Years and Over</u>			
Motor Vehicle	115	13.6	10.4	Total - all causes	25,531	100.0	7,436.2
Intentional Self-Harm	175	20.7	15.9	Diseases of the Heart	5,431	21.3	1,581.8
Malignant Neoplasms	74	8.7	6.7	Malignant Neoplasms	4,514	17.7	1,314.8
Assault (Homicide)	66	7.8	6.0	Cerebrovascular Diseases	1,618	6.3	471.3
Diseases of the Heart	39	4.6	3.5	Chronic Lower			
				Respiratory Diseases	1,517	5.9	441.8
				Alzheimer's Disease	1,340	5.2	390.3
				Accidents	1,129	4.4	328.8
				Falls	877	3.4	255.4

Mortality Table 6
DEATHS DUE TO SELECTED CAUSES BY EDUCATION, DECEDENTS AGE 25+
MINNESOTA RESIDENTS, 2013

	Total	< High School	H.S. Grad/ G.E.D.	Some College	B.A./B.S./ Asso. Deg.	Post Grad Degree
Total - All Causes	39,900	8,234 20.6%	16,657 41.7%	4,730 11.9%	8,270 20.7%	2,009 5.0%
Malignant Neoplasms	9,523	1,503 15.8%	3,859 40.5%	1,221 12.8%	2,320 24.4%	620 6.5%
Colon, Rectum and Anus	791	126 15.9%	311 39.3%	113 14.3%	201 25.4%	40 5.1%
Pancreas	678	77 11.4%	274 40.4%	80 11.8%	192 28.3%	55 8.1%
Trachea, Bronchus, Lung	2,382	423 17.8%	1,110 46.6%	302 12.7%	459 19.3%	88 3.7%
Breast	669	71 10.6%	257 38.4%	87 13.0%	200 29.9%	54 8.1%
Diabetes Mellitus	1,152	258 22.4%	486 42.2%	135 11.7%	227 19.7%	46 4.0%
Alzheimer's Disease	1,424	332 23.3%	611 42.9%	139 9.8%	279 19.6%	63 4.4%
Major Cardiovascular	10,612	2,535 23.9%	4,475 42.2%	1,179 11.1%	1,941 18.3%	482 4.5%
Diseases of Heart	7,598	1,839 24.2%	3,183 41.9%	843 11.1%	1,374 18.1%	359 4.7%
Cerebrovascular	2,037	479 23.5%	857 42.1%	234 11.5%	377 18.5%	90 4.4%
Influenza & Pneumonia	728	195 26.8%	295 40.5%	70 9.6%	130 17.9%	38 5.2%
Chronic Lower Respiratory Diseases	2,262	562 24.8%	1,033 45.7%	248 11.0%	363 16.0%	56 2.5%
Chronic Liver Disease and Cirrhosis	515	59 11.5%	220 42.7%	85 16.5%	133 25.8%	18 3.5%
Nephritis, Nephrotic Syndrome and Nephrosis	646	180 27.9%	291 45.0%	62 9.6%	79 12.2%	34 5.3%
All Accidents	2,262	358 15.8%	966 42.7%	323 14.3%	521 23.0%	94 4.2%
Motor Vehicle Accidents	363	35 9.6%	142 39.1%	58 16.0%	117 32.2%	11 3.0%
Falls	1,069	193 18.1%	463 43.3%	132 12.3%	219 20.5%	62 5.8%
Intentional Self-Harm (Suicide)	581	45 7.7%	220 37.9%	102 17.6%	169 29.1%	45 7.7%

Mortality Table 7
DEATHS BY AGE OF DECEDENT
MINNESOTA RESIDENTS, 2013

	Total*	< High School	H.S. Grad/ G.E.D.	Some College	B.A./B.S./ Asso. Deg.	Post Grad Degree
Total	40,981	8,798	16,796	4,812	8,307	2,009

<20	607	528	34	14	1	0
20-24	245	36	105	68	36	0
25-29	274	23	113	66	68	3
30-34	328	39	127	60	86	15
35-39	369	37	150	72	88	15
40-44	495	42	196	64	161	26
45-49	822	92	338	135	210	39
50-54	1,497	176	665	217	365	65
55-59	1,996	215	849	297	526	92
60-64	2,468	249	947	418	709	127
65-69	2,875	332	1,183	415	735	194
70-74	3,474	537	1,546	433	751	176
75-79	4,093	779	1,845	476	734	235
80-84	5,634	1,274	2,426	538	1,043	332
85+	15,804	4,439	6,272	1,539	2,794	690

*Total includes Unknown education level.